

Figure 2 Prior Art






Figure 3




Figure 4




FIG. 5




FIG. 6

FIG. 7




FIG. 8



V 260 **Device Configuration** رر Device Type: EPM7700 OK Device Name: 262 Description: Cancel 264 \$SYSTEM Resource: -266 Application Name: 10N\_LINK -268 ALBMATS1 - 272 Node Name: \_\_ 274 GE77GTWY Gateway Name:

FIG. 9

V 280 質 Project: D:\IIMI40projects\IIRDemo\URDEM() gef Application | GE 32MODB GE 32MODB ION\_LINK 130 Resource This is a DFP100 device This is DFP200 This is a 7700 device 287 287 286 \$SYSTEM \$SYSTEM \$SYSTEM Add Device 222 Delete Selected 230 238 Befresh 234 — Generate Screens

FIG. 10




FIG. 11

	onfiguration				
Device T	ype:	3			Ok
Device N	lame:				Can
Description	on:				
Resource	e: <b>[\$</b> 9	YSTEM		<b>_</b>	
Application	on Name: GE	32MODB			
UR Mode	sts: C	30	•	UCA/I	MMS I
Selected	Tabs:		Ava	alable Ta	bs:
CONTRO					
ELEMEN			1		
POWER			1		
QUALITY	,	-	J		

FIG. 12

